Fifteenth International Conference Zaragoza-Pau on Mathematics and its Applications Jaca, September 10–12th 2018

The origin of the *p*-Laplacian and A. Missbach

Peter Takáč¹, Jiří Benedikt², Petr Girg², Lukáš Kotrla²

SUMMARY

We describe the historical process of derivation of the *p*-Laplace operator from a nonlinear Darcy law and the continuity equation. The story begins with nonlinear flows in channels and ditches. As the nonlinear Darcy law we use the power law discovered by O. Smreker and verified in experiments by A. Missbach for flows through porous media in one space dimension. These results were generalized by S. A. Christianovitch and L. S. Leibenson to porous media in higher space dimensions. We provide a brief description of Missbach's experiments.

Keywords: porous medium, filtration, nonlinear Darcy law, pressure-to-velocity power law, *p*-Laplacian

AMS Classification: 76S05, 35Q35, 35–03 Historical

References

- JIŘÍ BENEDIKT, PETR GIRG, LUKÁŠ KOTRLA, AND PETER TAKÁČ. The origin of the p-Laplacian and A. Missbach. *Electronic Journal of Differential Equations*, 2018, No. 16, pp. 1–17 (2018).
- [2] PETR GIRG AND PETER TAKÁČ. Bifurcations of positive and negative continua in quasilinear elliptic eigenvalue problems. Annales Henri Poincaré. 9, No. 1, pp. 275–327 (2008).
- [3] PAVEL DRÁBEK, PETR GIRG, PETER TAKÁČ, AND MICHAEL ULM. The Fredholm Alternative for the p-Laplacian: Bifurcation from Infinity, Existence and Multiplicity. Indiana University Mathematics Journal, 53, No. 2, pp. 433–482 (2004).

¹Department of Mathematics University of Rostock, Rostock, Germany email: peter.takac@uni-rostock.de

²Department of Mathematics University of West Bohemia, Plzeň, Czech Republic email: pgirg@kma.zcu.cz